


SPECIFICATIONS



Product Description

Textured solid woven, made with solution dyed polyester to achieve high UV resistance to be suitable for indoor/outdoor use. Finished with Endurepel Shield.

Cleaning Code

W - Clean fabrics with water-based cleaning agents or water based foam

Abrasion 150, 000 Double Rubs (Wyzenbeek)

After Treatment Finish Stock Finished with Endurepel Shield

Brand SolarShade

Construction Woven Plain

Content Backing 100% Polyester

Content Face 100% Solution Dyed Polyester

Crocking ASTM D3597: Dry crocking = Class 4.5

Fire Retardancy CALTB117-2013, NFPA 260 Class 1, UFAC Class 1

Number of Colors Available in 6 colors

Railroaded Non Railroaded

Roll Size 50 yds (46 m)

Seam Slippage ASTM D4034 Fill 87.9 X Warp 108.4 lb

Weight 227 gsm, 6.7 oz/sq yd, 10.42 oz/yd

Width 54 in. (137 cm)

SPECIFICATIONS

Warranty	Our SolarShade Furniture fabrics have a limited 5-year fabric warranty against becoming unserviceable due to loss of colour, loss of strength, abrasion and pilling from normal usage and exposure conditions
Style	Solid, Texture
Proposition 65	This product is Proposition 65 compliant
Pilling	ASTM D3512 - Class 4.5
Social Responsibility	This product is sourced through a socially compliant vendor who has met our sustainability criteria.
Sustainable Manufacturing	ISO 14001 Certified, OEKOTEX Certified, Sustainable recapture and reuse process in the manufacturing process., Sustainable water usage in the manufacturing process.
Industry	Contract,Healthcare,Hosp

SPECIFICATIONS

Uses

Indoor / Outdoor,
Marine Seating,
Decorative
Accessories, Pillows,
Upholstery



DISTRIBUTORS OF LEATHER, VINYL, FABRIC & FOAM
4527 GLENWOOD ROAD • BROOKLYN, NY 11203
Phone: 718 941 3326 • Fax: 718 941 6115
Email: mark@dvcfabric.com